


# PF0011/15/63 Datasheet

**Product Name // IEC Connector Snap Fit To Panel Fused**  
**Inlet PF0011 Series 1.5mm Panel Black 6.3mm Tab**  
**Termination EN60 320-1 Standard Sheet C14 Class I**

 [View Product Page](#)



## // Product Description:

- ⊕ Snap Fit Panel Mount Fused IEC Inlets
- ⊕ EN60 320-1 Standard Sheet C14 Class I
- ⊕ Cold Condition
- ⊕ Single 5mm x 20mm fuse with spare fuse facility
- ⊕ Choice of panel thickness depending on part code: /10 - 1mm, /15 - 1.5mm, /20 - 2mm, /30 - 3mm
- ⊕ Choice of Termination depending on part code: /28 - 2.8mm Solder Tag, /48 - 4.8mm Tab, /63 - 6.3mm Tab, /PC - PCB Spills
- ⊕ Choice of colour depending on part code: /WH - White, /GY - Grey, no suffix - Black (some approvals apply to specific colours only - see data for details)
- ⊕ Insulation Boot for rear of connector available separately (part code 11987) for all versions except PCB Mount
- ⊕ Mate with PX0587, PX0587/SE, PX0588


## // General Information:

|                            |                                       |
|----------------------------|---------------------------------------|
| Product Display Title:     | Snap Fit Panel Mount Fused IEC Inlets |
| Product Family:            | IEC Connectors                        |
| Product Series:            | IEC60320 Main Inlets and Outlets      |
| Approvals:                 | CSA, ENEC, UL, VDE, CCC               |
| Body Material:             | Nylon 66                              |
| Current Max:               | 10A                                   |
| Flamability Rating:        | UL94V-0                               |
| Function:                  | Panel Mount Fused Connector           |
| iec Connector Colour:      | Black                                 |
| iec Connector Mates With:  | PX0587, PX0587/SE, PX0588             |
| iec En60620 Type:          | EN60 320-1 Standard Sheet C14 Class I |
| Max Operating Temperature: | +70°C                                 |
| Min Operating Temperature: | -40°C                                 |
| Max Panel Thickness:       | 1.5mm                                 |
| Min Panel Thickness:       | 1.5mm                                 |
| Number Of Contacts:        | 3 Contacts                            |
| Rohs Compliant:            | Yes                                   |
| Voltage Max:               | 250V                                  |

### // Product PDF Links

 [IEC Connectors product data](#)

### // Product 3D CAD Model Links

 [PF0011/15/633D CAD Model](#)