
# PF0033/20/28 Datasheet



## Product Name // IEC Connector Snap Fit To Panel Twin Fused Inlet PF0033 Series 2mm Panel 2.8mm Solder Tag Termination EN60 320-1 Standard Sheet C14 Class I







#### // Product Description:

- O Snap Fit Panel Mount Twin Fused IEC Inlets
- 0 EN60 320-1 Standard Sheet C14 Class I
- 0 Twin Fused, 5mm x 20mm fuses
- 0 Choice of panel thickness depending on part code: /10 - 1mm, /15 - 1.5mm, /20 - 2mm, /30 - 3mm
- O Choice of Termination depending on part code: /28 2.8mm Solder Tag, /48 - 4.8mm Tab, /63 - 6.3mm Tab
- O Insulation Boot for rear of connector available separately (part code 14317)
- 0 Mate with PX0587, PX0587/SE, PX0588

### // General Information:

**Product Display Title:** 

**Product Family: Product Series:** 

Approvals:

**Body Material:** 

**Current Max:** Flamability Rating:

Function:

lec Connector Mates With:

lec En60620 Type:

Max Operating Temperature:

Min Operating Temperature: Max Panel Thickness:

Min Panel Thickness:

**Number Of Contacts:** 

Voltage Max:

Snap Fit Panel Mount Twin Fused IEC Inlets

**IEC Connectors** 

IEC60320 Main Inlets and Outlets

CSA

Nylon 66 10A

UI 94V-0

Panel Mount Fused Connector

PX0587,PX0587/SE,PX0588

EN60 320-1 Standard Sheet C14 Class I

+70°C

-20°C

2mm 2mm

3 Contacts

250V

### // Product PDF Links



IEC Connectors product data

### // Product 3D CAD Model Links



PF0033/20/283D CAD Model